

Different Class Products of Korea

Slush Machine



ICETRO Smoothie & Slush Machine

*It's so
delicious!*




SLUSH MACHINE - 7.5LITER CAPACITY

- Perfect performance in tropical zone.
- Fastest Freezing ability.
- Unbreakable & non-poisonous PC 7.5liter(1.98gallon) capacity bowl.
- TC & Torque control system. [Drain cap] [Drip guidance] [Air filter] [Drain box]



Locking hole




Leveler




SSM 52

- Tank capacity : 7.5Liter(1.98gallon) X 2
- Weight : 38Kg (83.8 lbs)



LCD Touch Screen



LCD Control



ISM-72L

- Tank capacity: 7.5Liter(1.98gallon)x 2
- Weight : 49.5KG(109 lbs)

SLUSH MACHINE - 12LITER CAPACITY

- Unbreakable & non-poisonous P.C 12liter(3.17gallon) capacity bowl.
(Maximum mix capacity is 9liter.)
- Stainless steel body and case for long life.
- Durable metal geared motor for long life and reliability.
- TC & Torque control system.



Drain cap



Drip guidance



Air filter



Drain box



SSM-180

- Tank capacity : 12Liter(3.17gallon) X 1
- Weight : 30Kg (66.2 lbs)

NO1. SLUSH MACHINE IN KOREA



SSM-280

- Tank capacity : 12Liter(3.17gallon) X 2
- Weight : 52Kg (114.7 lbs)



SSM-420

- Tank capacity : 12Liter(3.17gallon) X 3
- Weight : 80Kg (176.4 lbs)



ISM-72L

Dimensions (W x D x H)	410X430X730(Including cover) 16.1X16.9X28.7(Including cover)
Weight	43kg
Legs	Rubber Packing
Power consumption	500W
Geared Motor	2EA
Refrigerant	R-134A
Compressor	0.5HP
Voltage Rating	115V/60Hz, 208~230V/60Hz 220~240V/50Hz



SSM-180

Dimensions (W x D x H)	195x487x837(mm) 7.7x19.2x33.0(inch)
Weight	30Kg (66.2lbs)
Legs	Rubber Packing
Power consumption	320W
Geared Motor	67Wx1EA
Refrigerant	R-134a
Compressor	0.35HP
Voltage Rating	115V/60Hz, 208~230V/60Hz, 220~240V/50Hz



SSM-280

Dimensions (W x D x H)	395x468x897(mm) 15.6x18.5x35.4(inch)
Weight	51Kg (112.5lbs)
Legs	Rubber Packing
Power consumption	1,020W
Geared Motor	67Wx2EA
Refrigerant	R-404a
Compressor	0.85HP
Voltage Rating	115V/60Hz, 208~230V/60Hz, 220~240V/50Hz



SSM-420

Dimensions (W x D x H)	598x468x897(mm) 23.6x18.5x35.4(inch)
Weight	75Kg (165.4lbs)
Legs	Rubber Packing
Power consumption	1,350W
Geared Motor	67Wx3EA
Refrigerant	R-404a
Compressor	0.85HP(50Hz spec), 1.30HP(60Hz spec)
Voltage Rating	115V/60Hz, 208~230V/60Hz, 220~240V/50Hz



SSM-52

Dimensions (W x D x H)	420x380x705(mm) 16.6x7.1x27.8(inch)
Weight	38Kg (83.8lbs)
Legs	Adjustable leveler
Power consumption	500W
Geared Motor	67x2EA
Refrigerant	R134a
Compressor	0.5HP
Voltage Rating	115V/60Hz, 208~230V/60Hz, 220~240V/50Hz



*The product's design and specification is subject to change without prior notice.

Manufactured by:



ICETRO

54-7 Road, Gumdan-Ro, Seo-ku, Incheon, Korea
TEL : +82-32-814-2160 FAX : +82-32-814-1798
Website : www.icetro.com
E-mail : sales@icemaker.co.kr

Distributed by :